Site Doctor

health report : https://Youtube.com

examined at : 24-07-31 07:31:04

follow recommendations of this health report to keep your site healthy

Score

25.5

Page Title

Page Title

YouTube

Short Recommendation

Your page title does not exceed 60 characters. It's fine.

Meta Description

Meta Description

Share your videos with friends, family, and the world

Short Recommendation

Your meta description does not exceed 150 characters. It's fine.

Meta Keyword

Meta Keyword

video, sharing, camera phone, video phone, free, upload

Short Recommendation

Keyword Analysis

Single Keywords

Keyword	Occurrence	Density	Possible Spam

Two Word Keywords

Keyword	Occurrence	Density	Possible Spam

Three Word Keywords

Keyword	Occurrence	Density	Possible Spam

Four Word Keywords

Keyword	Occurrence	Density	Possible Spam

Keyword Usage

Keyword Usage

video, sharing, camera phone, video phone, free, upload

Short Recommendation

The most using keywords do not match with meta keywords.

Total Words

Total Words

0

Text/Html Ratio Test

Site Failed Text/Html Ratio Test.

Text/HTML Ratio Test : 0%

Html Headings

H1(0)

H2(0)

H3(0)

H4(0)

H5(0)

H6(0)

Robot.txt

Short Recommendation

Your site have robot.txt

Sitemap

Short Recommendation

Your site have sitemap

Location

https://www.youtube.com/sitemaps/sitemap.xml

Internal Vs. External Links

Total Internal Links?

0

Total External Links?

0

Internal Links

External Links

Domain Ip Information

IP: 142.250.113.136
City: Plainview
Country: US
Time Zone: America/New_York
Longitude: -73.4761
Latitude: 40.7746

Noindex , Nofollow, Dofollow Links

Total NoIndex Links: 0
Total NoFollow Links: 0
Total DoFollow Links: 0
NoIndex Enabled by Meta Robot?: No
NoFollow Enabled by Meta Robot?: No

NoIndex Links

NoFollow Links

Seo Friendly Links

Short Recommendation

Links of your site are SEO friendly.

Favicon

Short Recommendation

Your site have favicon.

Image 'Alt' Test

Short Recommendation

Your site have 1 images without alt text.

Images Without alt

VR4Xu3VsQnDQBBFwd3AakTuv8UTOHQuXjJXwC0MH97OzBmPAAECBAgQeFVgd+ecM/f9nev6z
Arwq94+J0CAAAECPwEBNgQCBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIBAICDu
JAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKB
gAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIAAAQG2AQIE
CBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQ
YBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIg
QIAAAQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhw
gO4kAQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAAB
AoGAAAfoThIgQIAAAQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYB
AgQIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQI
EBBgGyBAgAABAoGAAAfoThIgQIAAAQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hO
EiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAI
CHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIAAAQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECA
AAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEB
tgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIAAAQG2AQIECBAgEAgIcIDuJAEC
BAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKBgAAH
6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIAAAQG2AQIECBAg
EAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4kAQIECBAQYBsg
QIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoGAAAfoThIgQIAA
AQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAgQIECAQCAhwgO4k
AQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQIEBBgGyBAgAABAoG
AAAfoThIgQIAAAQG2AQIECBAgEAgIcIDuJAECBAgQEGAbIECAAAECgYAAB+hOEiBAgAABAbYBAg
QIECAQCAhwgO4kAQIECBAQYBsgQIAAAQKBgAAH6E4SIECAAAEBtgECBAgQIBAICHCA7iQBAgQI

Doc Type

Doc Type : <!Doctype Html>

Short Recommendation

Page have doc type.

Depreciated Html Tag

Short Recommendation

Your site does not have any depreciated HTML tag.

Html Page Size

Html Page Size : 207 Kb

Short Recommendation

HTML page size is > 100KB

Gzip Compression

Short Recommendation

GZIP compression is disabled.

Inline Css

Short Recommendation

Your site have 1 inline css.

Inline CSS

<iframe name="passive_signin" src="https://accounts.google.com/ServiceLogin?ltmpl=mobile&service=youtube&uilel=3&passive=true&continue=https%3A%2F%2Fm.youtube.com%2Fsignin%3Faction_handle_signin%3Dtrue%26app%3Dm%26hl%3Den%26next%3D%252Fsignin_passive%26feature%3Dmobile_passive%26noapp%3D1&hl=en" style="display: none"></iframe>

Internal Css

Short Recommendation

Your site have 2 internal css.

Micro Data Schema Test

Short Recommendation

Site failed micro data schema test.

Ip & Dns Report

IPv4: 142.250.113.136
IPv6: 2607:f8b0:4023:1004::5b

Dns Report

SL	Host	Class	TTL	Type	PRI	Target	IP
1	Youtube.com	IN	185	A			142.250.113.93
2	Youtube.com	IN	185	A			142.250.113.91
3	Youtube.com	IN	185	A			142.250.113.190
4	Youtube.com	IN	185	A			142.250.113.136
5	Youtube.com	IN	345600	NS		ns4.google.com	
6	Youtube.com	IN	345600	NS		ns3.google.com	
7	Youtube.com	IN	345600	NS		ns1.google.com	
8	Youtube.com	IN	345600	NS		ns2.google.com	
9	Youtube.com	IN	300	MX	0	smtp.google.com	
10	Youtube.com	IN	95	AAAA			2607:f8b0:4023:1004::88
11	Youtube.com	IN	95	AAAA			2607:f8b0:4023:1004::be
12	Youtube.com	IN	95	AAAA			2607:f8b0:4023:1004::5d
13	Youtube.com	IN	95	AAAA			2607:f8b0:4023:1004::5b

Ip Canonicalization Test

Short Recommendation

Site passed IP canonicalization test.

Url Canonicalization Test

Short Recommendation

Site passed URL canonicalization test.

Plain Text Email Test

Short Recommendation

Site passed plain text email test. No plain text email found.

Curl Response

url : https://m.youtube.com/
content type : text/html; charset=utf-8
http code : 200
header size : 4375
request size : 690
filetime : -1
ssl verify result : 20
redirect count : 2
total time : 0.251754
namelookup time : 0.003031
connect time : 0.00901
pretransfer time : 0.019156
size upload : 0
size download : 211592
speed download : 840471
speed upload : 0
download content length : -1
upload content length : 0
starttransfer time : 0.172518
redirect time : 0.109106
redirect url :
primary ip : 2607:f8b0:4023:1002::64
certinfo :
primary port : 443
local ip : 2600:3c00::f03c:92ff:fe6c:1965
local port : 53200
http version : 3
protocol : 2
ssl verifyresult : 0

scheme : https
appconnect time us : 18712
connect time us : 9010
namelookup time us : 3031
pretransfer time us : 19156
redirect time us : 109106
starttransfer time us : 172518
total time us : 251754

Pagespeed Insights (Mobile)

Performance

Emulated Form Factor Mobile
Locale En-US
Category Performance

First Contentful Paint (FCP) 3144 ms
FCP Metric Category SLOW
First Input Delay (FID) 27 ms
FID Metric Category FAST
Overall Category SLOW



First Contentful Paint (FCP) 2607 ms
FCP Metric Category AVERAGE
First Input Delay (FID) 51 ms
FID Metric Category FAST
Overall Category AVERAGE

First Contentful Paint 5.5 s
First Meaningful Paint 6.5 s
Speed Index 5.5 s
First CPU Idle
Time to Interactive 15.0 s
Max Potential First Input Delay 1,640 ms

Audit Data

Resources Summary

Aggregates all network requests and groups them by typeLearn More

Eliminate Render-Blocking Resources

Potential savings of 2,580 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn More

Efficiently Encode Images

Optimized images load faster and consume less cellular data. Learn More

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn More

Serve Static Assets With An Efficient Cache Policy

1 resource found

A long cache lifetime can speed up repeat visits to your page. Learn More

Minimize Third-Party Usage

Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn More

Total Blocking Time

3,750 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

Reduce Javascript Execution Time

`5.4 s`

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

Defer Offscreen Images

`Potential savings of 4 KiB`

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn More

Server Backend Latencies

`30 ms`

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. Learn More

Properly Size Images

Serve images that are appropriately-sized to save cellular data and improve load time. Learn More

Reduce Unused Css

`Potential savings of 139 KiB`

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn More

Avoids Enormous Network Payloads

`Total size was 1,430 KiB`

Large network payloads cost users real money and are highly correlated with long

load times. Learn More

Minimize Main-Thread Work

`7.6 s`

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

Avoid Chaining Critical Requests

`6 chains found`

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn More

Avoids An Excessive Dom Size

`205 elements`

A large DOM will increase memory usage, cause longer Learn More

Avoid Multiple Page Redirects

`Potential savings of 780 ms`

Redirects introduce additional delays before the page can be loaded. Learn More

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn More

User Timing Marks And Measures

`37 user timings`

Consider instrumenting your app with the User Timing API to measure your app's

real-world performance during key user experiences. Learn More

Network Round Trip Times

0 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. Learn More

Pagespeed Insights (Desktop)

Performance

Emulated Form Factor Desktop
Locale En-US
Category Performance

First Contentful Paint (FCP) 2216 ms
FCP Metric Category AVERAGE
First Input Delay (FID) 9 ms
FID Metric Category FAST
Overall Category SLOW



First Contentful Paint (FCP) 2072 ms
FCP Metric Category AVERAGE
First Input Delay (FID) 10 ms
FID Metric Category FAST
Overall Category SLOW

First Contentful Paint 1.1 s
First Meaningful Paint 3.8 s
Speed Index 3.6 s
First CPU Idle
Time to Interactive 7.0 s
Max Potential First Input Delay 980 ms

Audit Data

Resources Summary

Aggregates all network requests and groups them by typeLearn More

Eliminate Render-Blocking Resources

Potential savings of 170 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn More

Efficiently Encode Images

Optimized images load faster and consume less cellular data. Learn More

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn More

Serve Static Assets With An Efficient Cache Policy

1 resource found

A long cache lifetime can speed up repeat visits to your page. Learn More

Reduce The Impact Of Third-Party Code

Third-party code blocked the main thread for 340 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn More

Total Blocking Time

2,960 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

Reduce Javascript Execution Time

4.7 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

Defer Offscreen Images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn More

Server Backend Latencies

80 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. Learn More

Properly Size Images

Serve images that are appropriately-sized to save cellular data and improve load time. Learn More

Reduce Unused Css

Potential savings of 305 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn More

Avoid Enormous Network Payloads

Total size was 3,131 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn More

Minimize Main-Thread Work

7.5 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn More

Avoid Chaining Critical Requests

17 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn More

Avoid An Excessive Dom Size

2,069 elements

A large DOM will increase memory usage, cause longer Learn More

Avoid Multiple Page Redirects

Potential savings of 230 ms

Redirects introduce additional delays before the page can be loaded. Learn More

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn More

User Timing Marks And Measures

45 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn More

Network Round Trip Times

10 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. Learn More